



GRID LOCATION	
CV/1	A-C/1-3
CV/1	A-C/4-5



NOTA:		Gaurile sunt cu 2mm mai mari decat diametrul buloanelor; Lungimea cordoanelor de sudura este egala cu conturul de suprapunere a pieselor. Grosimea sudurilor va fi egala 0.7tmin; dar nu mai putin de 3mm.				
EXTRAS MATERIALE PTR 1 ANSAMBLU			CV/1	4	buc. necesare	
Pozitia	Dimensiunea	Otel	buc.	Lungime [mm]	Aria laterala [mp]	Greutate [kg]
1007	PL10*80	S235JR	2	200	0	1
1011	PD50*15	S235JR	1	200	0	2
P/25	D20	S235JR	1	1180	0	3
P/29	D20	S235JR	1	5000	0	11
Total					0	18

Verificator						
Verificator/ Expert	Nume	Semnatura	Cerinta	REFERAT / EXPERTIZA / NR. / DATA		
S.C. A.G. PROIECT-S S.R.L. C.U.I. 17069804 , J02/2218/2004 B_dul. Stefan Augustin Doinas, nr. 41. ap. 2, ARAD Tel: 0721740641				Beneficiar: COMUNA ZERIND prin Primar Simandi Alexandru	Proiect nr.: 08/2022	
SPECIFICATIE	NUME	SEMNATURA	SCARA 1:10	Titlu proiect: ETAJARE CLADIRE VESTIARE BAZA SPORTIVA Jud. ARAD, Comuna ZERIND, satul ZERIND, CF 302562		Faza: DTAC + PT
SEF PROIECT:	Arh. Popa Romeo					
Proiectat:	Ing. Molnar Huba		DATA 2022	Titlul plansei: CONTRAVANTUIRE CV/1		Plansa nr. M.20
Desenat:	Ing. Molnar Huba					