


GRID LOCATION	
CV/3	D-E/1-3
CV/3	D-E/4-5
CV/3	F-G/1-3
CV/3	F-G/4-5



NOTA:		Gaurile sunt cu 2mm mai mari decat diametrul buloanelor; Lungimea cordoanelor de sudura este egala cu conturul de suprapunere a pieselor. Grosimea sudurilor va fi egala 0.7tmin; dar nu mai putin de 3mm.				
EXTRAS MATERIALE PTR 1 ANSAMBLU				CV/3	8	buc. necesare
Pozitia	Dimensiunea	Otel	buc.	Lungime [mm]	Aria laterala [mp]	Greutate [kg]
1007	PL10*80	S235JR	2	200	0	1
1011	PD50*15	S235JR	1	200	0	2
P/27	D20	S235JR	1	988	0	2
P/29	D20	S235JR	1	5000	0	11
Total					0	17

Verificator					
Verificator/ Expert	Nume	Semnatura	Cerinta	REFERAT / EXPERTIZA / NR. / DATA	
S.C. A.G. PROIECT-S S.R.L. C.U.I. 17069804 , J02/2218/2004 B_dul. Stefan Augustin Doinas, nr. 41. ap. 2, ARAD Tel: 0721740641				Beneficiar: COMUNA ZERIND prin Primar Simandi Alexandru	Proiect nr.: 08/2022
SPECIFICATIE	NUME	SEMNATURA	SCARA 1:10	Titlu proiect: ETAJARE CLADIRE VESTIARE BAZA SPORTIVA Jud. ARAD, Comuna ZERIND, satul ZERIND, CF 302562	Faza: DTAC + PT
SEF PROIECT:	Arh. Popa Romeo				
Proiectat:	Ing. Molnar Huba		DATA 2022	Titlu plansei: CONTRAVANTUIRE CV/3	Plansa nr. M.22
Desenat:	Ing. Molnar Huba				